

www.www.ww. WES

WW Him 427 B

Freeform Search

Database:	US Patents Full-Text Dalabase US Pre-Grant Publication Full-Text Database JPO Abstracts Database EPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	18 and L10 🔽
Display:	100 Documents in Display Format: CIT Starting with Number 1
Generate:	O Hit List O Hit Count O Side by Side O Image
<u> </u>	Search Clear Help Logout Interrupt
Main	Menu Show S Numbers Edit S Numbers Preferences Cases
	Search History

DATE: Saturday, December 07, 2002 Printable Copy Create Case

12/7/02 11:00 AM

Set Name	Query	Hit Count	
side by side			result set
DB=US	SPT; PLUR=YES; OP=ADJ		
<u>L11</u>	18 and L10	25	<u>L11</u>
<u>L10</u>	natural rubber	22154	<u>L10</u>
<u>L9</u>	16 same L7	54	<u>L9</u>
<u>L8</u>	16 and L7	152	<u>L8</u>
<u>L7</u>	(methyl methacrylate) or (methyl acrylate) or (acrylic acid) or (methacrylic acid) or (acrylonitrile) or (styrene)	176602	<u>L7</u>
<u>L6</u>	14 same 11	154	<u>L6</u>
<u>L5</u>	L4 and l1	514	<u>L5</u>
<u>L4</u>	12 with efficiency	986	<u>L4</u>
<u>L3</u>	11 same L2	6973	<u>L3</u>
<u>L2</u>	graft\$3	55966	<u>L2</u>
<u>L1</u>	rubber	336291	<u>L1</u>

END OF SEARCH HISTORY

1	یا فسد	MANAGEMATIKA MANAMANA MANAMANA MANAMANA MANAMANA MANAMANA	WEST	
			Generate Collection Print	

L9: Entry 3 of 54

File: USPT

Aug 28, 2001

DOCUMENT-IDENTIFIER: US 6281297 B1

TITLE: Isobutylene rubber particles, graft copolymer particles and resin composition containing the same

Detailed Description Text (18):

The graft efficiency of the obtained graft copolymer (S-1) was determined by measuring the gel fraction of the obtained crosslinked graft copolymer in the same manner as the measurement of the gel fraction of the crosslinked rubber particles in Example 1, and calculating the percentage of the amount of increase of the toluene-insoluble portion based on the graft polymerization with respect to the amount of the vinyl monomer used for the graft polymerization (sum of methyl methacrylate and n-butyl acrylate).

<u>Detailed Description Text</u> (43):

A separable flask equipped with a condenser, a nitrogen feeding tube, a dropping funnel and a stirrer was charged with 80 parts (solid basis) of the obtained latex of the polyorganosiloxane <u>rubber</u> particles and then with 260 parts of water, 0.001 part of ferrous sulfate, 0.004 part of disodium ethylenediaminetetraacetate and 0.1 part of formaldehyde sodium sulfoxylate. The mixture was heated to 70.degree. C. with stirring at 250 r.p.m. in a nitrogen stream. Subsequently, 18 parts of methyl methacrylate, 2 parts of n-butyl acrylate and 0.04 part of cumene hydroperoxide were put in the dropping funnel, and added dropwise to the latex over 2 hours, followed by stirring at 70.degree. C. for 1 hour to give an aqueous latex of organosiloxane-based graft copolymer particles. The conversion of graft polymerization was 99%. Also, the average particle size of the <u>graft</u> copolymer particles was 0.30 .mu.m and the <u>graft</u> efficiency was 95%.

12/7/02 10:13 AM

Generate Collection	Print

L9: Entry 4 of 54

File: USPT

Mar 13, 2001

DOCUMENT-IDENTIFIER: US 6201064 B1

TITLE: Crosslinked rubber particles, graft copolymer particles and thermoplastic resin composition

Detailed Description Text (6):

Subsequently, 18.0 parts of methyl methacrylate, 2.0 parts of n-butyl acrylate and 0.04 part of cumene hydroperoxide were put in the dropping funnel, and added dropwise to the rubber latex over 2 hours, followed by stirring at 70.degree. C. for 2 hours. The conversion was 98%. The obtained latex of crosslinked rubber-based graft copolymer particles was coagulated by salting out, and the resulting particles were separated, washed and dried at 40.degree. C. for 15 hours to give a powder of crosslinked rubber-based graft copolymer. The obtained crosslinked rubber-based graft copolymer particles (S-1) had a graft efficiency of 95% and an average particle size of 0.3 .mu.m.

Detailed Description Text (19):

Subsequently, 18.0 parts of methyl methacrylate, 2.0 parts of n-butyl acrylate and 0.04 part of cumene hydroperoxide were put in the dropping funnel, and added dropwise to the rubber latex over 2 hours, followed by stirring at 70.degree. C. for 2 hours. The conversion was 98%. The obtained latex of crosslinked rubber-based graft copolymer particles was coagulated by salting out, and the resulting particles were separated, washed and dried at 40.degree. C. for 15 hours to give a powder of crosslinked rubber-based graft copolymer. The obtained crosslinked rubber-based graft copolymer particles (S-5) had a graft efficiency of 95% and an average particle size of 0.25 .mu.m.

Detailed Description Text (28):

Subsequently, 18.0 parts of methyl methacrylate, 2.0 parts of n-butyl acrylate and 0.04 part of cumene hydroperoxide were put in the dropping funnel, and added dropwise to the crosslinked rubber latex over 2 hours, followed by stirring at 70.degree. C. for 2 hours. The conversion was 98%. The obtained graft copolymer latex was coagulated by salting out, and the resulting particles were separated, washed and dried at 40.degree. C. for 15 hours to give a powder of crosslinked rubber-based graft copolymer. The obtained crosslinked rubber-based graft copolymer particles (S-7) had a graft efficiency of 95% and an average particle size of 0.25 .mu.m.

Detailed Description Text (33):

Subsequently, 18.0 parts of methyl methacrylate, 2.0 parts of n-butyl acrylate and 0.04 part of cumene hydroperoxide were put in the dropping funnel, and added dropwise to the rubber latex over 2 hours, followed by stirring at 70.degree. C. for 2 hours. The conversion was 98%. The obtained latex of graft copolymer particles was coagulated by salting out, and the resulting particles were separated, washed and dried at 40.degree. C. for 15 hours to give a powder of crosslinked rubber-based graft copolymer. The obtained crosslinked rubber-based graft copolymer particles (S-8) had a graft efficiency of 98% and an average particle size of 0.25 .mu.m.

l of 1 12/7/02 10:16 AM

i,	J.	WEST	
		 Generate Collection Print	

L9: Entry 9 of 54

File: USPT

Nov 10, 1998

DOCUMENT-IDENTIFIER: US 5834563 A

TITLE: Composite rubber particles and graft copolymer particles of composite rubber

Detailed Description Text (4):

Subsequently, 30 parts of methyl methacrylate as the vinyl monomer for graft polymerization and 0.06 part of cumene hydroperoxide as the radical polymerization initiator were put in the dropping funnel, and added dropwise to the composite <u>rubber</u> latex over two hours, followed by stirring at 70.degree. C. for one hour. The conversion was 99%. To the obtained graft copolymer latex of composite rubber was added dropwise 30 parts of an aqueous solution of 10% calcium chloride, followed by solidifying, separating, washing and then drying at 40.degree. C. for 15 hours to give a powder of graft copolymer particles of composite rubber (hereinafter referred to as "S-1"). A graft efficiency and average particle size of the obtained S-1 are shown in Table 1.

Detailed Description Text (11):
Subsequently, 30 parts of methyl methacrylate as the vinyl monomer for graft polymerization and 0.06 part of cumene hydroperoxide as the radical polymerization initiator were put in the dropping funnel, and added dropwise to the composite <u>rubber</u> latex over two hours, followed by stirring at 70.degree. C. for one hour. The conversion was 99%. To the obtained graft copolymer latex of composite rubber was added dropwise 30 parts of an aqueous solution of 10% calcium chloride, followed by solidifying, separating, washing and then drying at 40.degree. C. for 15 hours to give a powder of graft copolymer particles of composite rubber (hereinafter referred to as "S-3"). A graft efficiency and average particle size of the obtained S-3 are shown in Table 1.

A,	ノギ	Section Commission and Commission Commission and Co	WEST	
			Generate Collection Print	

L9: Entry 10 of 54

File: USPT

Oct 7, 1997

DOCUMENT-IDENTIFIER: US 5674930 A TITLE: Thermoplastic resin compositions

Detailed Description Text (84):

The hydroxyl group containing styrene copolymer showed a graft efficiency of 75%. The term "graft efficiency" used herein means the proportion of the styrene grafted to the ethylene-propylene copolymer rubber of the total amount of the raw material styrene, which can be calculated as follows:

l of l 12/7/02 10:29 AM

s.nettaanetunuunuunuunuunuunuutastuututta s	WEST	
ם[Generate Collection	Print

L9: Entry 17 of 54

File: USPT

Feb 23, 1993

DOCUMENT-IDENTIFIER: US 5189108 A

TITLE: Modified polymer rubber and process for preparing the same

Detailed Description Text (3):

Then, 20 parts by weight of styrene monomer and 1.0 part by weight of Sanperox.RTM. TO (a registered trade name, mfg. by Sanken Kako Inc.) as a free radical initiator were added thereto. The resulting mixture was brought up to 110.degree. C. over a period of 80 minutes, and then the reaction was continued for 1 hour. After cooling, the styrene-graft copolymer rubber was collected by filtration, washed thoroughly with pure water and then dried under vacuum. The analysis of the graft copolymer obtained in the step (1) revealed that the amount of <u>grafted</u> polystyrene was 16 parts by weight and the amount of non-grafted polystyrene extracted was 3.6 parts by weight, per 20 parts by weight of the added styrene monomer, and the calculated graft efficiency was 82%.

Detailed Description Text (4):
Then, the reaction of the step (2) was carried out by mixing 100 parts by weight of the styrene-graft copolymer rubber obtained above with 0.08 part by weight of 1,1-bis(t-butylperoxy)-3,3,5-trimethylcyclohexane on a mixing roll, and then kneading the mixture with 5 parts by weight of maleic anhydride in a twin-screw extruder set at 250.degree. C. The analysis of the modified copolymer rubber obtained showed that the amount of maleic anhydride in the resulting modified copolymer rubber was 3.2% by weight (3.8 parts by weight based on the original EPDM), the amount of maleic anhydride added to the modified copolymer rubber was 2.1% by weight (2.5 parts by weight based on the original EPDM), and the graft efficiency was 66%. Further, the modified copolymer was dissolved in tetrahydrofuran at 60.degree. C. and filtered through a 120-mesh SUS screen. Resultantly, the amount of gel-like insolubles collected by filtration showed a value of 0.23% in the modified polymer <u>rubber</u>. The value was considered to be satisfactorily low.

WEST	
Generate Collection Print	

L9: Entry 23 of 54

File: USPT

Feb 18, 1992

DOCUMENT-IDENTIFIER: US 5089557 A

TITLE: Rubber modified blend of nylon and styrene/acrylonitrile maleic anhydride terpolymer

Detailed Description Text (4):

Vinylaromatic monomers used for the graft copolymer of component A include styrene, and substituted styrenes such as alpha-methylstyrene, chlorostyrene, bromostyrene, p-methyl styrene, and vinyl toluene. A preferred vinylaromatic monomer is styrene. The grafted hard phase may optionally include additional monomers such as methylmethacrylate or N-phenylmaleimide in amounts up to about 10 percent by total graft monomer weight if desired. Advantageously, graft polymerization conditions are selected to provide a graft efficiency of at least 20 weight percent and preferably at least 40 weight percent of the total graft and matrix polymer present in the graft rubber composition. Typically the vinylaromatic/acrylonitrile grafted rubber component contains from 30 to 80 weight percent rubber. The particle size of the vinylaromatic/acrylonitrile grafted rubber is advantageously in the range of 0.05 to 2.0 microns, preferably 0.1 to 0.5 microns. The amount of component A present in the blends of the present invention is preferably from 10 to 50 weight percent.

ensu menumanamanamanananes e	WEST	
	Generate Collection Print	

Lil: Entry 8 of 25 File: USPT Feb 23, 1993

DOCUMENT-IDENTIFIER: US 5189108 A

TITLE: Modified polymer rubber and process for preparing the same

Brief Summary Text (17):

Previously, the present invention studied for obtaining an ethylene-.alpha.-olefin copolymer <u>rubber</u> modified with an unsaturated dicarboxylic acid anhydride which is excellent in processability and storage stability. They also studied on the process for preparing the same by which a larger amount of unsaturated dicarboxylic acid anhydride added to the <u>rubber</u>, forming a smaller amount of gel and suppressing an extreme increase in Mooney viscosity (ML.sub.1+4 121.degree. C.) as compared with the prior art processes. As a result, they found that a modified polymer <u>rubber</u> obtained by kneading an ethylene-.alpha.-olefin copolymer rubber with a free radical initiator, an aromatic vinyl monomer and an unsaturated dicarboxylic acid anhydride, as compared with those obtained without using an aromatic vinyl monomer, had a larger amount of unsaturated dicarboxylic acid anhydride added thereto and the anhydride moiety was oxidized to the carboxylic acid structure by moisture in a far less degree. The thus obtained modified rubber has no marked increase in Mooney viscosity, so that it shows a good processability. Based on the finding, they applied for a patent (JP-A-64-45413). However, although this process surely gives a modified copolymer having a high content of unsaturated dicarboxylic acid anhydride added thereto and forms little of gel-like substances, it requires the use of a starting rubber having a nonconjugated diene content of not higher than 3% by weight. This is clearly started in the specification of said application. Thus, when the process of said application is applied to EPDM containing more than 3% by weight of nonconjugated diene, a significant formation of gel-like substance results. Accordingly, an improvement in suppressing the gel formation has been desired. Further, according to the process, the amount of the aromatic vinyl monomer in the graft copolymer is limited to less than about 5% by weight. This is because in order to increase the grafted amount of the aromatic vinyl compound by the process, it is necessary to greatly increase the amount of the monomer used in the kneading-grafting reaction, but, when a large amount of these monomers, which are liquid or gas under the reaction conditions, is used, the reaction system assumes the form of liquid or foam, which results in poor kneading efficiency and leads to difficulty in reaction control. Therefore, it had to be admitted that according to the process, it was difficult from the practical point of view to increase the grafted amount of the aromatic vinyl monomer over about 5% by weight.

Brief Summary Text (19):

For example, another application assigned to the present assignee (JP-B-62-10565) discloses a process which comprises grafting styrene, acrylonitrile, etc. to a shredded rubbery polymer in an aqueous suspension in a high graft efficiency. This process also has such disadvantages that when the process is applied to the grafting of unsaturated carboxylic acid derivatives etc., the conversion in the graft reaction is very low and, if a large amount of free-radical initiator is used to promote the graft reaction, gels are formed and makes it impossible to process the modified copolymer in practice.

Brief Summary Text (38):

Specific examples of the rubbery polymers (A) usable in the present invention are rubbers such as ethylene-.alpha.-olefin copolymer rubber, ethylene-.alpha.-olefin-non-conjugated diene copolymer rubber, styrene-butadiene copolymer rubber, polybutadiene rubber, polyisoprene rubber, natural rubber, acrylonitrile-butadiene copolymer rubber, ethylene-vinyl acetate copolymer rubber, acrylic rubber, and ethylene-acrylic ester copolymer rubber.

Brief Summary Text (39):

Of these, preferable are ethylene-.alpha.-olefin copolymer rubber and

ethylene-.alpha.-olefin-nonconjugated diene copolymer <u>rubber</u> because they form less amount of gel in the step (2) described later and give a higher <u>graft efficiency</u> (namely, the proportion of the monomers actually added to the <u>rubber</u> in the fed monomers) in the step (1) and the step (2).

Brief Summary Text (45):

The aromatic vinyl monomer (B) used in the present invention is preferably styrene, but may also be o-methylstyrene, p-methylstyrene, m-methylstyrene, alpha.-methylstyrene or the like. They may be used also as a mixture thereof.

Brief Summary Text (46):

In the step (1) of the present invention, a non-aromatic vinyl monomer (C) may be used together with the aromatic vinyl monomer (B). Specific examples of such non-aromatic vinyl monomer (C) are unsaturated nitriles such as acrylonitrile and methacrylonitrile; unsaturated carboxylic acids such as acrylic acid and methacrylic acid; alkyl esters of acrylic or methyl acrylate; vinyl chloride, etc., used each alone or in admixture of two or more thereof. Particularly, acrylonitrile and methyl acrylate are preferably used from the viewpoint of reactivity in copolymerization with the aromatic vinyl monomer (B).

Brief Summary Text (48):

The polymerizable monomer (D) used in the step (2) of the process of the present invention described later is selected from the group consisting of unsaturated dicarboxylic acid anhydrides, unsaturated monocarboxylic acid esters, unsaturated carboxylic acid amides, unsaturated ethers, and the derivatives thereof. Specific examples of the monomers included in the group are maleic anhydride, fumaric anhydride, citraconic anhydride, chloromaleic anhydride, maleimide, N-aromatic maleimide, N-aliphatic maleimide, acrylamide, methacrylamide, N-methylolacrylamide, itaconic anhydride, methyl acrylate, ethyl acrylate, butyl acrylate, methyl methacrylate, ethyl methacrylate, butyl methacrylate, maleic hydrazide, reaction products of maleic anhydride with diamines, himic anhydride (bicyclo [2,2,1]hepta-5-en-2,3-dicarboxylic acid anhydride), dimethylaminopropylacrylamide, 7-amino-3,7-dimethyloctyl acrylate, methyl 2-cyanoacrylate, tetrahydrofulfuryl acrylate, glycidyl acrylate, glycidyl methacrylate, allyl glycidyl ether, himic anhydride chloride, etc. Further, citric acid, which is a saturated carboxylic acid and is generally not included in unsaturated carboxylic acids, is, in the reaction of the step (2) of the present invention, converted into itaconic anhydride as the result of dehydration and decarboxylation caused by heating during the reaction, and hence can be used as a sort of unsaturated carboxylic acid derivatives in the present invention.

Brief Summary Text (53):

The step (1) is a step of graft - polymerizing to a shredded rubbery polymer (A) in an aqueous suspension at a temperature of 30.degree.-130.degree. C. at least one grafting monomer (E) selected from the group consisting of aromatic vinyl monomers (B) and vinyl monomers (F) consisting of at least one aromatic vinyl monomer (B) and at least one non-aromatic vinyl monomer (C). The rubbery polymer (A of the starting material is shredded with a cutter, grinding machine or such and then fed to a reactor. The granule size of the shredded rubbery polymer (A) is not particularly limited, but is preferably not more than about 3 mm from the viewpoint of enhancing the contact efficiency with the monomers to be added and preferably not less than about 1 mm from the viewpoint of easiness of recovery operations after the reaction. The proportion of the grafting monomer (E) to the rubery polymer (A) used varies according to the kinds of the monomers used and the properties required for the objective modified polymer rubber In general, the total amount of the grafting monomer (B) is 1-900 parts by weight relative to 100 parts by weight of the rubbery polymer (A). Particularly when ethylene-.alpha.-olefin copolymer rubber or ethylene-.alpha.-olefin-non-conjugated diene copolymer rubber is used with the grafting monomer (E), the total amount of the grafting monomer (E) is preferably in the range of 5-100 parts by weight per 100 parts by weight of the rubbery polymer. When the amount of the grafting monomer (E) used is less than 5 parts by weight, the amount of the grafting monomer (E) added to the rubbery polymer (A) decreases, which result in the reduction of the modification effect, that is, the reduction of the compatibilizing capability of the modified polymer in use as a compatibilizer for various resins, aimed at by the present invention. When the amount exceeds 100 parts by weight, there may be caused such undesirable results that in the reaction of the step (1), the rubbery polymer granules are swollen by the monomers, increase their tackiness to stick to one another and making their handling difficult, or the homopolymer of the aromatic vinyl monomer (B) is produced in a remarkably large yield lowers the graft efficiency and results in the deterioration of the capability as a compatibilizer.

12/7/02 10:52 AM

Brief Summary Text (59):

An advantage of the process of the present invention is that in the reaction of step (1), a graft copolymer is obtained with a high graft copolymer is obtained with a high graft copolymer <a href="graft:

Brief Summary Text (63):

Though the kinds of the polymerizable monomer (D) used in the step (2) have already been described above, a radical-polymerizable monomer other than the polymerizable monomer (D) may also be used together with the polymerizable monomer (D) in said step. Specific examples of such radical-polymerizable monomers are unsaturated nitriles (e.g. acrylonitrile and methacrylonitrile), and unsaturated carboxylic acids (e.g. acrylic acid, methacrylic acid, maleic acid, fumaric acid, itaconic acid and crotonic acid.). They can be used each alone or as a mixture of two or more thereof. In some cases, depending on the kinds of properties and their levels required for the modified copolymer rubber, it is also possible to use the aromatic vinyl monomer (B) in the step (2) with the polymerizable monomer (D).

Brief Summary Text (72):

In feeding the respective components described above to the kneader, it is possible to feed them each separately. It is also possible to uniformly mix a part or whole of the components and feed the mixture. An adoptable method comprises, for example, incorporating the rubber component with the free radical initiator to obtain a mixture, feeding the polymerizable monomer (D) with the mixture into a kneader simultaneously, and kneading the components fed. Another usable method comprises feeding the free radical initiator and/or the polymerizable monomer (D) from a certain opening in the midway of the extruder in order to effect the modification reaction. It is also possible to add, into the reactor of the step (1) or into the extruder of the step (2) through the inlet, as occasion demands, plastics such as polyethylene, nylon, polyester, ABS and polyphenylene ether, and elastomers such as styrenebutadiene block copolymer, styrene-isoprene block copolymer, and the hydrogenation products thereof, whereby comodification of two or more kinds of polymers can be effected.

Brief Summary Text (83):

The amount of styrene added to the graft copolymer obtained in the step (1) was determined from the intensity of the peak corresponding to a substituted benzene ring which appeared in the infrared absorption spectrum. The amount of maleic anhydride added to the modified copolymer rubber obtained in the step (2) was determined by dissolving the extrudate sample in a small amount of toluene, precipitating it with anhydrous acetone, dissolving the sample thus purified again in toluene, and titrating the resulting solution with a KOH ethanol solution at an elevated temperature (85.degree. C.) using phenolphthalen as an indicator.

Brief Summary Text (84):

The amount of styrene added, when styrene was used as the polymerizable monomer (C) of the step (2), was determined from the intensity of the peak corresponding to a substituted benzene ring which appeared in the infrared absorption spectrum of the sample purified as described above.

<u>Detailed Description Text</u> (3):

Then, 20 parts by weight of styrene monomer and 1.0 part by weight of Sanperox.RTM. To (a registered trade name, mfg. by Sanken Kako Inc.) as a free radical initiator were added thereto. The resulting mixture was brought up to 110.degree. C. over a period of 80 minutes, and then the reaction was continued for 1 hour. After cooling, the styrene-graft copolymer rubber was collected by filtration, washed thoroughly with pure water and then dried under vacuum. The analysis of the graft copolymer obtained in the step (1) revealed that the amount of grafted polystyrene was 16 parts by weight and the amount of non-grafted polystyrene extracted was 3.6 parts by weight, per 20 parts by weight of the added styrene monomer, and the calculated graft efficiency was 82%.

12/7/02 10:52 AM

7,

Detailed Description Text (4): Then, the reaction of the step (2) was carried out by mixing 100 parts by weight of the styrene-graft copolymer rubber obtained above with 0.08 part by weight of 1,1-bis(t-butylperoxy)-3,3,5-trimethylcyclohexane on a mixing roll, and then kneading the mixture with 5 parts by weight of maleic anhydride in a twin-screw extruder set at 250.degree. C. The analysis of the modified copolymer rubber obtained showed that the amount of maleic anhydride in the resulting modified copolymer rubber was 3.2% by weight (3.8 parts by weight based on the original EPDM), the amount of maleic anhydride added to the modified copolymer rubber was 2.1% by weight (2.5 parts by weight based on the original EPDM), and the graft efficiency was 66%. Further, the modified copolymer was dissolved in tetrahydrofuran at 60.degree. C. and filtered through a 120-mesh SUS screen. Resultantly, the amount of gel-like insolubles collected by filtration showed a value of 0.23% in the modified polymer rubber. The value was considered to be satisfactorily low.

Detailed Description Paragraph Table (1):

Comp. Comp. Comp. Comp. Exam- Exam- Exam- Exam- Exam- Exam- Exam- Exam-Exam- ple 1 ple 2 ple 3 ple 4 ple 1 ple 2 ple 5 ple 3 ple ple 5 Rub-

Ethylene content (wt. %) 56 56 65 65 56 56 56 56 56 bery .alpha.-Olefin species Pro-Pro- Bu- Bu- Pro- Pro- Pro- Pro- Pro- Pro- poly- pylene pylene tene-1 tene-1 pylene pylene pylene pylene pylene mer Nonconjugated diene*.sup.1 species ENB DCPD ENB ENB ENB ENB ENB ENB ENB ENB (A) Nonconjugated diene content 5.2 10.4 8.2 8.2 5.2 5.2 5.2 5.2 25 5.2 (wt. %) Number average mol. wt. 60,000 50,000 40,000 40,000 60,000 60,000 60,000 60,000 50,000 60,000 Step Amount Rubbery polymer 100 100 100 100 100 100 --*.sup.6 100 100 (1) used (A) (parts by wt.) Styrene 20 30 40 36 120 20 5 20 20 (parts by wt.) Acrylonitrile 0 3 0 4 0 0 0 0 MAH (parts by wt.) 5*.sup.7 Reaction state Reaction proceeded in good Granules Good Good --*.sup.5 Good Good slurry state. Graft copolymer stuck with formed was easily collected one another. by filtration Difficulty recoverable Step Amount of styrene added to 16.0 23.2 31.5 30.2 --*.sup.5 16.1 4.3 --*.sup.6 17.8 15.9 (2) graft copolymer formed (parts by wt.)*.sup.2 Amount of acrylonitrile added 0 2.4 0 3.6 0 0 0 0 to graft copolymer formed (parts by wt.) *.sup.2 Graft copolymer 100 100 100 100 --*.sup.5 100 100 100 100 --*.sup.7 (parts by wt.)*.sup.3 MAH*.sup.4 (parts by wt.) 5 5 5 5 2 5 Styrene 5 2.2*.sup.6 Kneading temperature (.degree.C.) 250 230 260 220 160 250 250 Mooney viscosity of modified 90 82 70 76 --*.sup.5 88 68 63 Unmeas- 88 polymer rubber formed able (M.sub.1+4 121.degree. C.) Amount of MAH added to 2.1 1.8 1.6 1.4 0.03 1.8 MAH Unmeas- Not modified polymer rubber 1.3 urable detect- (parts by wt.) Styrene ed 0.8 Amount of gel in modified 0.23 0.31 0.13 0.18 0.21 0.18 28 >50 0.16 polymer rubber (parts by wt.)

*.sup.1 ENB: 5Ethylidene-2-norbornene, DCPD: Dicyclopentadiene *.sup.2 Amount per 100 parts by wt. of rubbery polymer (A) *.sup. 3 Polymer recovered in the reaction of step (1) *.sup.4 MAH: Maleic anhydride *.sup.5 Uniform product could not be obtained. The reaction of step (2) could not be performed. *.sup.6 The reaction of step (2) alone was performed with addition of 5 parts by wt. of styrene and 5 parts by wt. of MAH, without performing the reaction of step (1). *.sup.7 MAH was added together with styrene in the reaction of step (1). The reaction of step (2) was omitted.

Detailed Description Paragraph Table (2):

Example 6 Example 7 Example 8

Monomer (D) used in step (2) Allyl glycidyl Acrylamide N-Methylol- (part by wt.) ether (2) acrylamide (2) (2) Results of Amount of styrene added 15.3 16.4 15.7 analysis of (part by wt.)*.sup.1 modified Amount of monomer (D) added 0.8 1.1 1.3 polymer (part by wt.)*.sup.1 rubber Mooney viscosity (ML.sub.1+4 121.degree. C.) 86 95 102 Amount of gel (wt. %) 0.26 0.29 0.38

*.sup.1 Part by wt. per 100 parts by wt. of rubbery polymer (A) as starting material

CLAIMS:

- 1. A process for preparing a modified polymer rubber comprising the steps of:
- (1) graft-polymerizing to a shredded rubbery polymer (A) in an aqueous suspension at a temperature of 30.degree.-130.degree. C. at least one grafting monomer (E) selected from the group consisting of

aromatic vinyl monomers (B) and

vinyl monomers consisting of:

at least one aromatic vinyl monomer (B) and at least one non-aromatic vinyl monomer (C) selected from the group consisting of:

acrylonitrile,

methacrylonitirle,

acrylic acid,

acrylic acid alkyl esters,

methacrylic acid,

methacrylic acid alkyl esters, and

vinyl chloride, the weight ratio of the rubbery polymer (A) to the grafting monomer (E) falling with in the range of from 100:5 to 100:100, to obtain a graft polymer, and

(2) kneading the graft copolymer with at least one polymerizable monomer (D) selected for the group consisting of:

unsaturated dicarboxylic acid anhydrides and the derivatives thereof,

unsaturated monocarboxylic acid esters and the derivatives thereof,

unsaturated carboxylic acid amines and the derivatives thereof, and

unsaturated carboxylic acid ethers and the derivatives thereof,

in the presence of a free radical initiator at a temperature of 180.degree.-280.degree.

- 4. The process of claim 3, wherein the step (1) includes the step of selecting at least one member selected from the group consisting of styrene, o-methylstyrene, m-methylstyrene and .alpha.-methylstyrene as the aromatic vinyl monomer (B).
- 5. The process of claim 1, wherein the step (1) includes the step of selecting $\underline{\text{styrene}}$ as the aromatic vinyl monomer (B).
- 7. The process of claim 6, wherein the step (1) includes the step of selecting at least one member selected from the group consisting of styrene, o-methylstyrene, m-methylstyrene and .alpha.-methylstyrene as the aromatic vinyl monomer (B).
- 8. The process of claim 7, wherein the step (1) includes the step of selecting $\underline{\text{styrene}}$ as the aromatic vinyl monomer (B).
- 9. The process of claim 1, wherein the step (1) includes the step of selecting acrylonitrile as the nonaromatic vinyl monomer (C).
- 13. A process for preparing a modified polymer rubber comprising the steps of:
- (1) graft-polymerizing to a shredded rubbery polymer (A) in an aqueous suspension at a temperature of 30 -130.degree. C. at least one grafting monomer (E) selected from the group consisting of

aromatic vinyl monomers (B) and

vinyl monomers consisting of:

at least one aromatic vinyl monomer (B) and at least one non-aromatic vinyl monomer (C) selected from the group consisting of:

acrylonitrile,

methacrylonitrile,

acrylic acid,

acrylic acid alkyl esters,

methacrylic acid,

methacrylic acid alkyl esters, and

vinyl chloride, the weight ratio of the rubbery polymer (A) to the grafting monomer (E) falling within the range of from 100:5 to 100:100, to obtain a graft polymer, and

(2) kneading the graft copolymer with at least one polymerizable monomer (D) selected from the group consisting of:

maleic anhydride,

allyl glycidyl ether,

acrylamide, and

N-methylol-arylamide, in the presence of a free radical initiator at a temperature of 180.degree.-280.degree. C.

12/7/02 10:52 AM

WEST

Generate Collection

Print

Search Results - Record(s) 1 through 25 of 25 returned.

1. Document ID: US 6448343 B1

L11: Entry 1 of 25

File: USPT

Sep 10, 2002

US-PAT-NO: 6448343

DOCUMENT-IDENTIFIER: US 6448343 B1

TITLE: Silane vulcanized thermoplastic elastomers

DATE-ISSUED: September 10, 2002

INVENTOR-INFORMATION:

COUNTRY ZIP CODE CITY STATE Schombourg; Jacques F. Commugny CH CH Kraxner; Peter Geneva CH Furrer; Willy Gingins CH Adberrazig; Abdellatif Meyrin

US-CL-CURRENT: 525/288; 525/73, 525/74, 525/78

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC
Draw, D	eso Ir	nage									

2. Document ID: US 6071987 A

L11: Entry 2 of 25

File: USPT

Jun 6, 2000

US-PAT-NO: 6071987

DOCUMENT-IDENTIFIER: US 6071987 A

TITLE: Silicone emulsion composition and process for producing silicone powder

therefrom

DATE-ISSUED: June 6, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Matsumoto; Makoto Tokyo JP Takanashi; Masanori Tokyo JP

US-CL-CURRENT: 523/209; 524/837, 524/861, 524/862, 528/15

Fuli	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC
Draw, D	eso Ir	nage									

3. Document ID: US 5948858 A

L11: Entry 3 of 25

File: USPT

Sep 7, 1999

US-PAT-NO: 5948858

DOCUMENT-IDENTIFIER: US 5948858 A

TITLE: Rubber-modified polymer composition

DATE-ISSUED: September 7, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Dorrestijn; Antoon Born NL
Koning; Cornelis E. Schinnen NL
Bruls; Wilhelmus G. M. Meerssen NL

US-CL-CURRENT: 525/66; 524/112

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC | Craw Desc Image

4. Document ID: US 5756576 A

L11: Entry 4 of 25

File: USPT

May 26, 1998

US-PAT-NO: 5756576

DOCUMENT-IDENTIFIER: US 5756576 A

TITLE: Rubber-modified polymer composition

DATE-ISSUED: May 26, 1998

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Bruls; Wilhelmus G. M. Meerssen NL
Buntinx; Robbie A. M. Heerlen NL
Reid; Valerie M. C. Maastricht NL

US-CL-CURRENT: 525/66; 525/64, 525/67, 525/68, 525/70

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw, Desc Image

5. Document ID: US 5643997 A

L11: Entry 5 of 25 File: USPT Jul 1, 1997

US-PAT-NO: 5643997

DOCUMENT-IDENTIFIER: US 5643997 A

TITLE: Polyethylenic resin composition

DATE-ISSUED: July 1, 1997

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Matsuoka; Masami

Kawasaki

JP

Aoyagi; Hikaru

Kawasaki

JР

US-CL-CURRENT: 525/71; 525/74, 525/78

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw, Desc Image

KWIC

6. Document ID: US 5334658 A

L11: Entry 6 of 25

File: USPT

Aug 2, 1994

US-PAT-NO: 5334658

DOCUMENT-IDENTIFIER: US 5334658 A

TITLE: Thermoplatic molding materials

DATE-ISSUED: August 2, 1994

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Blumenstein; Uwe

Ludwigshafen

DE

Klaerner; Peter Schuch; Horst Battenberg Ilvesheim

DE DE

Walter; Hans-Michael

Freinsheim

DE

US-CL-CURRENT: 525/71

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Craw Desc Image

KWIC

7. Document ID: US 5264494 A

L11: Entry 7 of 25

File: USPT

Nov 23, 1993

US-PAT-NO: 5264494

DOCUMENT-IDENTIFIER: US 5264494 A

TITLE: Halogenated butyl rubber graft copolymers

DATE-ISSUED: November 23, 1993

INVENTOR-INFORMATION:

NAME CITY
Ho; Chai H. London

STATE ZIP CODE

COUNTRY

Ho; Chai H. Hopkins; William

Sarnia

CA CA

US-CL-CURRENT: $\underline{525}/\underline{237}$; $\underline{525}/\underline{232}$, $\underline{525}/\underline{235}$, $\underline{525}/\underline{242}$, $\underline{525}/\underline{244}$, $\underline{525}/\underline{245}$, $\underline{525}/\underline{248}$, $\underline{525}/\underline{250}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw Desc Image

KWIC

8. Document ID: US 5189108 A

L11: Entry 8 of 25

File: USPT

Feb 23, 1993

US-PAT-NO: 5189108

DOCUMENT-IDENTIFIER: US 5189108 A

TITLE: Modified polymer rubber and process for preparing the same

DATE-ISSUED: February 23, 1993

INVENTOR-INFORMATION:

STATE ZIP CODE COUNTRY CITY NAME Imai; Akio Ichihara JΡ JΡ Ichihara Tsuji; Mitsuji JΡ Sanada; Takashi Ichihara JP Yamamoto; Keisaku Ichihara

Full Title Citation Front Review Classification Date Reference Sequences Attachments K Draw Desc Image

9. Document ID: US 5093417 A

L11: Entry 9 of 25

File: USPT

Mar 3, 1992

US-PAT-NO: 5093417

DOCUMENT-IDENTIFIER: US 5093417 A

TITLE: Impact-resistant resin

DATE-ISSUED: March 3, 1992

INVENTOR-INFORMATION:

CITY STATE ZIP CODE COUNTRY NAME Sasaki; Isao Otake JΡ Yamamoto; Naoki Otake JΡ Yanagase; Akira Otake JΡ JP Ito; Masakazu Otake

US-CL-CURRENT: 525/63; 525/101, 525/68

Full- | Title | Citation | Front- | Review | Classification | Date | Reference | Sequences | Attachments | HMG | Draw Desc | Image |

10. Document ID: US 4929673 A

L11: Entry 10 of 25 File: USPT May 29, 1990

US-PAT-NO: 4929673

DOCUMENT-IDENTIFIER: US 4929673 A

4 of 11 12/7/02 10:59 AM

TITLE: Polycarbonate/styrenic blends modified with a grafted olefin copolymer

DATE-ISSUED: May 29, 1990

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Laughner; Michael K. Lake Jackson TX
Lancaster; Gerald M. Freeport TX
Sun; Yun C. Midland MI

US-CL-CURRENT: 525/63; 525/146, 525/148, 525/92E



☐ 11. Document ID: US 4404328 A

Lil: Entry 11 of 25 File: USPT Sep 13, 1983

US-PAT-NO: 4404328

DOCUMENT-IDENTIFIER: US 4404328 A

TITLE: Organometallic polymer compositions useful as constituents of anti-fouling

paints for marine structures and their methods of manufacture

DATE-ISSUED: September 13, 1983

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Dawans; Francois Bougival FR
Devaud; Marguerite Mont St. Aignan FR
Nicolas; Denise Maurepas FR

US-CL-CURRENT: 525/274



12. Document ID: US 4389460 A

L11: Entry 12 of 25 File: USPT Jun 21, 1983

US-PAT-NO: 4389460

DOCUMENT-IDENTIFIER: US 4389460 A

TITLE: Method of protecting submerged articles against fouling

DATE-ISSUED: June 21, 1983

INVENTOR-INFORMATION:

5 of 11

NAME CITY STATE ZIP CODE COUNTRY

Dawans; Francois Bougival FR
Devaud; Marguerite Mont St Aignan FR
Nicolas; Denise Maurepas FR

US-CL-CURRENT: 428/458; 106/15.05, 106/16, 106/18.35, 428/461, 428/462, 428/463, 428/541, 428/907, 525/310

KWIC Full Title Citation Front Review Classification Date Reference Sequences Attachments ☐ 13. Document ID: US 4334039 A File: USPT Jun 8, 1982 L11: Entry 13 of 25 US-PAT-NO: 4334039 DOCUMENT-IDENTIFIER: US 4334039 A TITLE: Process for preparing polymeric polyblends having a rubber phase as particles with a bimodal particle size distribution DATE-ISSUED: June 8, 1982 INVENTOR-INFORMATION: ZIP CODE COUNTRY STATE CITY Amherst MA Dupre; Carl R. US-CL-CURRENT: 525/263; 525/244, 525/260, 525/266, 525/71, 525/76, 525/84Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC Drawu Desc - Image 14. Document ID: US 4322260 A File: USPT Mar 30, 1982 L11: Entry 14 of 25 US-PAT-NO: 4322260 DOCUMENT-IDENTIFIER: US 4322260 A TITLE: Process for the continuous extrusion forming of a plastic double-walled foam-core conduit DATE-ISSUED: March 30, 1982 INVENTOR-INFORMATION: ZIP CODE COUNTRY NAME CITY STATE Conlon; Lawrence E. Westfield MA $\text{US-CL-CURRENT: } \underline{156/244.12}; \ \underline{138/125}, \ \underline{138/126}, \ \underline{156/149}, \ \underline{156/244.13}, \ \underline{156/244.22},$ 156/244.23, 156/244.24, 264/209.1, 264/45.9, 264/46.1, 264/46.9

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMC

Draws Description

15. Document ID: US 4315083 A

Lil: Entry 15 of 25 File: USPT Feb 9, 1982

US-PAT-NO: 4315083

DOCUMENT-IDENTIFIER: US 4315083 A

TITLE: Process for the continuous mass polymerization of polyblends

DATE-ISSUED: February 9, 1982

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Burk; Raymond D. Wilbraham MA

US-CL-CURRENT: 525/53; 525/237, 525/316, 525/99

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMC Craw, Desc Image

16. Document ID: US 4262097 A

L11: Entry 16 of 25

File: USPT

Apr 14, 1981

US-PAT-NO: 4262097

DOCUMENT-IDENTIFIER: US 4262097 A

TITLE: Organometallic polymer compositions useful as constituents of anti-fouling

paints for marine structures and their methods of manufacture

DATE-ISSUED: April 14, 1981

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Dawans; Francois Bougival FR
Devaud; Marguerite Mont St Aignan FR
Nicolas; Denise Maurepas FR

US-CL-CURRENT: 525/274; 106/15.05, 106/16, 106/18.35, 525/285, 525/310, 525/370,

<u>525/371</u>

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC |
Draw, Desc | Image |

17. Document ID: US 4221681 A

L11: Entry 17 of 25

File: USPT

Sep 9, 1980

US-PAT-NO: 4221681

DOCUMENT-IDENTIFIER: US 4221681 A

TITLE: Method of forming graft copolymers by attaching pre-polymerized side chains to a natural or unsaturated synthetic rubber backbone, and the resulting graft copolymers

DATE-ISSUED: September 9, 1980

 ${\tt INVENTOR-INFORMATION:}$

NAME CITY STATE ZIP CODE COUNTRY
Campbell; David S. Welwyn GB2
Loeber; David E. Hertford GB2
Tinker; Andrew J. Hertford GB2

US-CL-CURRENT: 525/194; 525/232, 525/376

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC |
Draw Desc Image

☐ 18. Document ID: US 4101702 A

L11: Entry 18 of 25

File: USPT

Jul 18, 1978

US-PAT-NO: 4101702

DOCUMENT-IDENTIFIER: US 4101702 A

TITLE: Composite sheet member having a plurality of coextruded laminar layers

DATE-ISSUED: July 18, 1978

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Churchill; Geoffrey B. Wilbraham MA
White; J. Craig Feeding Hills MA

US-CL-CURRENT: $\frac{428}{213}$; $\frac{156}{244.11}$, $\frac{264}{173.12}$, $\frac{264}{173.14}$, $\frac{264}{173.16}$, $\frac{264}{174.1}$, $\frac{428}{493}$, $\frac{428}{519}$, $\frac{428}{520}$, $\frac{428}{522}$, $\frac{525}{86}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draws Description

19. Document ID: US 4097549 A

L11: Entry 19 of 25

File: USPT

Jun 27, 1978

US-PAT-NO: 4097549

DOCUMENT-IDENTIFIER: US 4097549 A

TITLE: Polymer polyblend composition

DATE-ISSUED: June 27, 1978

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Kruse; Robert L. Springfield MA

US-CL-CURRENT: $\underline{525/86}$; $\underline{525/72}$, $\underline{525/75}$, $\underline{525/76}$, $\underline{526/65}$, $\underline{526/68}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMC Praw Desc Image

20. Document ID: US 3978161 A

L11: Entry 20 of 25 File: USPT Aug 31, 1976

.US-PAT-NO: 3978161

DOCUMENT-IDENTIFIER: US 3978161 A

TITLE: Metalation of polymers
DATE-ISSUED: August 31, 1976

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Nielsen; Stuart D. Stow OH Hargis; Ivan G. Tallmadge OH Livigni; Russell A. Akron OH

US-CL-CURRENT: 525/360; 525/332.9, 525/333.2, 525/357, 525/366, 525/375, 526/339, 526/340

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC

21. Document ID: US 3898301 A

L11: Entry 21 of 25

File: USPT

Aug 5, 1975

US-PAT-NO: 3898301

DOCUMENT-IDENTIFIER: US 3898301 A

TITLE: Blends of thermoplastic polymers with graft copolymers of maleic acid

derivatives

DATE-ISSUED: August 5, 1975

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Konishi; Kunio Osaka JA
Tsubakimoto; Tsuneo Osaka JA
Nikki; Masao Osaka JA

 $\begin{array}{l} \text{US-CL-CURRENT: } \underline{525}/\underline{77}; \ \underline{524}/\underline{151}, \ \underline{524}/\underline{303}, \ \underline{525}/\underline{286}, \ \underline{525}/\underline{288}, \ \underline{525}/\underline{292}, \ \underline{525}/\underline{293}, \ \underline{525}/\underline{296}, \\ \underline{525}/\underline{297}, \ \underline{525}/\underline{301}, \ \underline{525}/\underline{303}, \ \underline{525}/\underline{304}, \ \underline{525}/\underline{305}, \ \underline{525}/\underline{306}, \ \underline{525}/\underline{73}, \ \underline{525}/\underline{74}, \ \underline{525}/\underline{75}, \ \underline{525}/\underline{76}, \\ \underline{525}/\underline{78}, \ \underline{525}/\underline{79}, \ \underline{525}/\underline{81}, \ \underline{525}/\underline{82}, \ \underline{526}/\underline{225}, \ \underline{526}/\underline{312}, \ \underline{526}/\underline{318}, \ \underline{526}/\underline{325}, \ \underline{526}/\underline{329.2}, \\ \underline{526}/\underline{329.3}, \ \underline{526}/\underline{342} \end{array} ,$

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC |
Draw Desc | Image |

22. Document ID: US 3887653 A

L11: Entry 22 of 25

File: USPT

Jun 3, 1975

US-PAT-NO: 3887653

DOCUMENT-IDENTIFIER: US 3887653 A

TITLE: Process for production of graft copolymers, the substrates of which contain allyl derivatives of maleic acid and maleic acid anhydride

DATE-ISSUED: June 3, 1975

INVENTOR-INFORMATION:

CITY STATE ZIP CODE COUNTRY NAME

JA Takatsuki Konishi; Kunio Toyonaka JA Tsubakimoto; Tsuneo JA Ibaragi Nikki; Masao

US-CL-CURRENT: 525/301; 524/151, 524/303, 525/293, 525/303, 526/225, 526/271, 526/312, 526/318, $526/32\overline{5}$, $526/32\overline{9.5}$, $526/\overline{342}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC

23. Document ID: US 3802950 A

L11: Entry 23 of 25

File: USPT

Apr 9, 1974

US-PAT-NO: 3802950

DOCUMENT-IDENTIFIER: US 3802950 A

TITLE: CELLULAR POLYURETHANE-BITUMEN-PLASTIC COMPOSITE

DATE-ISSUED: April 9, 1974

INVENTOR-INFORMATION:

NAME

CITY

STATE

MA

ZIP CODE

COUNTRY

Stevens; James K.

Brimfield

US-CL-CURRENT: 428/215; 428/314.4, 428/318.4, 428/319.9, 428/489

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMIC Drawii Desc - Image

24. Document ID: US 3627613 A

L11: Entry 24 of 25

File: USPT

Dec 14, 1971

US-PAT-NO: 3627613

DOCUMENT-IDENTIFIER: US 3627613 A

TITLE: CONTINUOUS PROCESS FOR PREPARING COMPOSITES IN SHEET FORM

DATE-ISSUED: December 14, 1971

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Stolki; Thomas J.

Wilbraham

MA

US-CL-CURRENT: $\underline{156}/\underline{309.6}$; $\underline{156}/\underline{192}$, $\underline{156}/\underline{244.25}$, $\underline{156}/\underline{244.27}$, $\underline{156}/\underline{273.3}$, $\underline{156}/\underline{307.7}$, 156/309.9, 156/322, 156/324, 428/332, 428/462, 428/463, 442/37

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC Draw, Desc | Image

25. Document ID: US 3625915 A

L11: Entry 25 of 25

File: USPT

Dec 7, 1971

KWIC

US-PAT-NO: 3625915

DOCUMENT-IDENTIFIER: US 3625915 A

TITLE: ANTISTATIC STYRENE/ACRYLONITRILE-TYPE INTERPOLYMER COMPOSITIONS

DATE-ISSUED: December 7, 1971

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Gubler; Michel Meurchin FR
Guillon; Joseph Henin-Lietard FR

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Draw, Desc | Image |

Generate Collection Print

Term	Documents
(8 AND 10).USPT.	25
(L8 AND L10).USPT.	25

Display Format: CIT Change Format

Previous Page Next Page

11 of 11 12/7/02 10:59 AM

Generate Collection Print

Search Results - Record(s) 1 through 54 of 54 returned.

1. Document ID: US 6403683 B1

L9: Entry 1 of 54

File: USPT

Jun 11, 2002

US-PAT-NO: 6403683

DOCUMENT-IDENTIFIER: US 6403683 B1

TITLE: Polycarbonate resin composition and molded article

DATE-ISSUED: June 11, 2002

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Kobayashi; Hiroaki

Chiyoda-ku

JP

US-CL-CURRENT: 524/115; 528/196, 528/198

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Craw Desc Image

2. Document ID: US 6362282 B1

L9: Entry 2 of 54

File: USPT

Mar 26, 2002

US-PAT-NO: 6362282

DOCUMENT-IDENTIFIER: US 6362282 B1

TITLE: Polymers with high vinyl end segments

DATE-ISSUED: March 26, 2002

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE COUNTRY

DeDecker; Mark N.

North Canton

OH

US-CL-CURRENT: <u>525/271</u>; <u>525/250</u>, <u>525/319</u>, <u>526/136</u>, <u>526/87</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC |
Draw Desc Image

3. Document ID: US 6281297 B1

L9: Entry 3 of 54

File: USPT

Aug 28, 2001

US-PAT-NO: 6281297

DOCUMENT-IDENTIFIER: US 6281297 B1

 TITLE: Isobutylene rubber particles, graft copolymer particles and resin composition containing the same

DATE-ISSUED: August 28, 2001

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Aoyama; Taizo Takasago JP Kimura; Katsuhiko Akashi JP

US-CL-CURRENT: $\underline{525/333.7}$; $\underline{524/579}$, $\underline{525/64}$, $\underline{525/66}$, $\underline{525/67}$, $\underline{525/70}$, $\underline{525/78}$, $\underline{526/348.7}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWIC Draw. Desc Image

4. Document ID: US 6201064 B1

L9: Entry 4 of 54 File: USPT Mar 13, 2001

US-PAT-NO: 6201064

DOCUMENT-IDENTIFIER: US 6201064 B1

TITLE: Crosslinked rubber particles, graft copolymer particles and thermoplastic resin

composition

DATE-ISSUED: March 13, 2001

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Aoyama; Taizo Takasago JP Kimura; Katsuhiko Akashi JP

US-CL-CURRENT: 525/63; 525/100, 525/101, 525/104, 525/106

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC Draw Desc Image

5. Document ID: US 6111012 A

L9: Entry 5 of 54 File: USPT Aug 29, 2000

US-PAT-NO: 6111012

DOCUMENT-IDENTIFIER: US 6111012 A

TITLE: Polymer compositions for graft copolymer as well as mixtures thereof and

thermoplastic compounds containing them

DATE-ISSUED: August 29, 2000

INVENTOR-INFORMATION:

STATE ZIP CODE COUNTRY CITY NAME Ludwigshafen DE Fischer; Michael DE Neuhofen Koch; Jurgen Neustadt DE Rosenau; Bernhard DE Neustadt Mc Kee; Graham Edmund DE Ludwigshafen Grabowski; Sven DE Maxdorf Mosbach; Norbert DE Ludwigshafen Fischer; Wolfgang DE Weinheim Heckmann; Walter

US-CL-CURRENT: 525/64; 525/143, 525/316, 525/67

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMC Draw Desc Image

6. Document ID: US 6103830 A

L9: Entry 6 of 54 File: USPT Aug 15, 2000

US-PAT-NO: 6103830

DOCUMENT-IDENTIFIER: US 6103830 A

TITLE: Impact resistant methacrylic resin containing a partially hydrogenated, conjugated diene polymer

DATE-ISSUED: August 15, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Hirota; Satoru Yokohama JP
Sasagawa; Masahiro Yokohama JP
Kinoshita; Hideo Yokohama JP

US-CL-CURRENT: <u>525/310</u>; <u>526/201</u>, <u>526/328.5</u>

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	KWIC	
Draws	Desc 1	mage									
	•										
			**************		***************************************			***************************************	***************************************		***************************************

7. Document ID: US 6066693 A

L9: Entry 7 of 54 File: USPT May 23, 2000

US-PAT-NO: 6066693

DOCUMENT-IDENTIFIER: US 6066693 A

TITLE: Polymer composition for graft copolymers as well as mixtures thereof and thermoplastic compounds containing them

DATE-ISSUED: May 23, 2000

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Fischer; Michael Ludwigshafen DE
Rosenau; Bernhard Neustadt DE
Fischer; Wolfgang Ludwigshafen DE

US-CL-CURRENT: 525/67; 525/143, 525/302, 525/316, 525/64

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMC |
Draw Description

8. Document ID: US 5959033 A

L9: Entry 8 of 54 File: USPT Sep 28, 1999

US-PAT-NO: 5959033

DOCUMENT-IDENTIFIER: US 5959033 A

TITLE: Polymers containing highly grafted rubbers

DATE-ISSUED: September 28, 1999

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Demirors; Mehmet Midland MI Priddy; Duane B. Midland MI

Hermans; Nicolaas M. A. Terneuzen NL
Veraart; Rudi H. E. Terneuzen NL
Heuvelsland; Albert J. Heikant NL

Sikkema; Kevin D. Midland MI

US-CL-CURRENT: 525/86; 525/316, 525/70

Full Title Citation Front Review Classification Date Reference Sequences Attachments
Fram Desc Image

KWIC

9. Document ID: US 5834563 A

L9: Entry 9 of 54 File: USPT Nov 10, 1998

US-PAT-NO: 5834563

DOCUMENT-IDENTIFIER: US 5834563 A


TITLE: Composite rubber particles and graft copolymer particles of composite rubber

DATE-ISSUED: November 10, 1998

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Kimura; Katsuhiko Akashi JP Aoyama; Taizo Takasago JP

US-CL-CURRENT: 525/319; 525/191, 525/227, 525/241, 525/310



Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC Draw, Desc Image ☐ 12. Document ID: US 5414045 A L9: Entry 12 of 54

File: USPT

May 9, 1995

US-PAT-NO: 5414045

DOCUMENT-IDENTIFIER: US 5414045 A

TITLE: Grafting, phase-inversion and cross-linking controlled multi-stage bulk process

for making ABS graft copolymers

DATE-ISSUED: May 9, 1995

INVENTOR-INFORMATION:

NAME CITY

CITY STATE ZIP CODE
Williamstown WV

wv

Sue; Chen-Youn Koch; Robert Pace; John E.

Parkersburg Washington

VW

Prince; Gregory R.

Sandyville WV

US-CL-CURRENT: 525/86; 525/314, 525/316, 525/52, 525/53



13. Document ID: US 5314964 A

L9: Entry 13 of 54

File: USPT

May 24, 1994

KWAC

COUNTRY

US-PAT-NO: 5314964

DOCUMENT-IDENTIFIER: US 5314964 A

TITLE: Low temperature process for the preparation of isopropenyl-alpha,

alpha-dimethylbenzyl isocyanate--grafted latexes

DATE-ISSUED: May 24, 1994

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Lucas; Howard R.

Danbury CT

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw, Desc Image

14. Document ID: US 5270375 A

L9: Entry 14 of 54

File: USPT

Dec 14, 1993

US-PAT-NO: 5270375

DOCUMENT-IDENTIFIER: US 5270375 A

TITLE: Polyarylene sulfide resin

DATE-ISSUED: December 14, 1993

INVENTOR-INFORMATION:

STATE ZIP CODE COUNTRY CITY NAME Hiroshima JΡ Yamamoto; Naoki JΡ Otake Yanaqase; Akira JΡ Hiroshima Mori; Hiroshi JΡ Nakata; Akira Otake

US-CL-CURRENT: 524/500; 524/492, 524/495, 525/474, 525/479, 525/537

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMIC |
Draws Description

15. Document ID: US 5231137 A

L9: Entry 15 of 54

File: USPT

Jul 27, 1993

US-PAT-NO: 5231137

DOCUMENT-IDENTIFIER: US 5231137 A

TITLE: Isopropenyl-alpha, alpha-dimethylbenzyl isocyanate - grafted polymers

DATE-ISSUED: July 27, 1993

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Fisher; Michael M. Ridgefield CT White; Leroy A. Somers CT Lucas; Howard R. Danbury CT

US-CL-CURRENT: $\underline{525}/\underline{176}$; $\underline{525}/\underline{177}$, $\underline{525}/\underline{179}$, $\underline{525}/\underline{223}$, $\underline{525}/\underline{293}$, $\underline{525}/\underline{69}$, $\underline{525}/\underline{70}$, $\underline{528}/\underline{75}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Figure 1. Front Review Classification Date Reference Sequences Attachments

16. Document ID: US 5227428 A

L9: Entry 16 of 54 File: USPT Jul 13, 1993

US-PAT-NO: 5227428

DOCUMENT-IDENTIFIER: US 5227428 A

TITLE: Rubber modified nylon composition


DATE-ISSUED: July 13, 1993

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Lavengood; Richard E. Longmeadow MA
Padwa; Allen R. Worcester MA
Harris; Alva F. Wilbraham MA

US-CL-CURRENT: <u>525/66</u>; <u>525/179</u>



US-PAT-NO: 5164453

DOCUMENT-IDENTIFIER: US 5164453 A

TITLE: Isopropenyl-alpha, alpha-dimethylbenzyl isocyanate--grafted polymers

DATE-ISSUED: November 17, 1992

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Fisher; Michael M.

Ridgefield

CT

White; Leroy A.

Somers

CT

Lucas; Howard R.

Danbury

CT

US-CL-CURRENT: 525/293; 525/69, 525/70

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw Desc Image

KMC

20. Document ID: US 5162419 A

L9: Entry 20 of 54

File: USPT

Nov 10, 1992

US-PAT-NO: 5162419

DOCUMENT-IDENTIFIER: US 5162419 A

TITLE: Low gloss talc filled ABS/PC

DATE-ISSUED: November 10, 1992

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Pottier-Metz; Catherine M. M.

Beauvais

FR

Erpelding; Michel

St. Maxim

FR

US-CL-CURRENT: 524/451; 525/67

Full Title Citation Front Review Classification Date Reference Sequences Attachments
Drawl Desc | Image |

KWAC

21. Document ID: US 5130394 A

L9: Entry 21 of 54

File: USPT

Jul 14, 1992

US-PAT-NO: 5130394

DOCUMENT-IDENTIFIER: US 5130394 A

TITLE: Starch graft polymers

DATE-ISSUED: July 14, 1992

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Nguyen; Charles C.

Cedar Rapids

IA

Martin; Verne J.

Cedar Rapids


ΙA

Pauley; Edward P.

Jesup

ΙA

US-CL-CURRENT: 527/300; 527/303, 527/313, 527/314, 527/315



24. Document ID: US 5087662 A

L9: Entry 24 of 54

File: USPT

Feb 11, 1992

US-PAT-NO: 5087662

DOCUMENT-IDENTIFIER: US 5087662 A

TITLE: Polyester, polycarbonate and/or polyphenylene ether with polyorganosiloxane/polyvinyl-based graft (meth) acrylate polymers

DATE-ISSUED: February 11, 1992

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Alsmarraie; Muhanad A. Clifton Park NY
Hobbs; Stanley Y. Scotia NY
Wang; I-Chung W. Williamstown MA
Watkins; Vicki H. Alplaus NY

US-CL-CURRENT: $\underline{525}/\underline{63}$; $\underline{525}/\underline{100}$, $\underline{525}/\underline{104}$, $\underline{525}/\underline{105}$, $\underline{525}/\underline{391}$, $\underline{525}/\underline{392}$, $\underline{525}/\underline{393}$, $\underline{525}/\underline{394}$, $\underline{525}/\underline{439}$, $\underline{525}/\underline{445}$, $\underline{525}/\underline{464}$, $\underline{525}/\underline{464}$, $\underline{525}/\underline{474}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC |
Draw, Desc | Image |

25. Document ID: US 5079293 A

L9: Entry 25 of 54

File: USPT

Jan 7, 1992

US-PAT-NO: 5079293

DOCUMENT-IDENTIFIER: US 5079293 A

TITLE: Thermoplastic compositions containing combined modifiers

DATE-ISSUED: January 7, 1992

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY wv Alsamarraie; Muhanad A. Parkersburgh NY Schenectady Hobbs; Stanley Y. WV Wang; I-Chung W. Vienna DeRudder; James L. Mt. Vernon IN Schenectady NY Watkins; Vicki H. NY Dekkers; Marinus E. J. Schenectady

 $\begin{array}{l} \text{US-CL-CURRENT: } \underline{525/66}; \ \underline{525/100}, \ \underline{525/105}, \ \underline{525/106}, \ \underline{525/393}, \ \underline{525/421}, \ \underline{525/422}, \ \underline{525/439}, \\ \underline{525/440}, \ \underline{525/445}, \ \underline{525/464}, \ \underline{525/479}, \ \underline{525/63}, \ \underline{525/67}, \ \underline{525/68}, \ \underline{525/902} \\ \end{array}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draws Description

26. Document ID: US 5045595 A

L9: Entry 26 of 54

File: USPT

Sep 3, 1991

US-PAT-NO: 5045595

DOCUMENT-IDENTIFIER: US 5045595 A

TITLE: Polyorganosiloxane/polyvinyl-based graft polymers, process and thermoplastic compositions containing the same

DATE-ISSUED: September 3, 1991

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Wang; I-Chung W.

Williamstown

MA

US-CL-CURRENT: $\underline{525/66}$; $\underline{525/100}$, $\underline{525/104}$, $\underline{525/105}$, $\underline{525/421}$, $\underline{525/439}$, $\underline{525/440}$, $\underline{525/445}$, $\underline{525/464}$, $\underline{525/474}$, $\underline{525/479}$, $\underline{525/63}$, $\underline{525/67}$, $\underline{525/68}$, $\underline{525/72}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments FWC Praw. Description

27. Document ID: US 5025066 A

L9: Entry 27 of 54

File: USPT

Jun 18, 1991

US-PAT-NO: 5025066

DOCUMENT-IDENTIFIER: US 5025066 A

TITLE: Polycarbonate and polyester blends modified with polyorganosiloxane graft polymers combined with diene rubber-based graft polymers

DATE-ISSUED: June 18, 1991

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE C

COUNTRY

DeRudder; James L.

Mt. Vernon

IN

Wang; I-Chung W.

Williamstown

MA

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC Draw, Desc Image

28. Document ID: US 5003022 A

L9: Entry 28 of 54

File: USPT

Mar 26, 1991

US-PAT-NO: 5003022

DOCUMENT-IDENTIFIER: US 5003022 A

TITLE: Starch graft polymers

DATE-ISSUED: March 26, 1991

INVENTOR-INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Nguyen; Charles C.

Cedar Rapids Cedar Rapids IA

Martin; Verne J. Pauley; Edward P.

Jesup

IA IA US-CL-CURRENT: 527/300; 428/511, 428/512, 428/532, 428/535, 527/303, 527/313, 527/314, 527/315

Full Title Citation Front Review Classification Date Reference Sequences Attachments KMC

29. Document ID: US 4929673 A

L9: Entry 29 of 54

File: USPT

May 29, 1990

US-PAT-NO: 4929673

DOCUMENT-IDENTIFIER: US 4929673 A

TITLE: Polycarbonate/styrenic blends modified with a grafted olefin copolymer

DATE-ISSUED: May 29, 1990

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Laughner; Michael K. Lake Jackson TX
Lancaster; Gerald M. Freeport TX
Sun; Yun C. Midland MI

US-CL-CURRENT: 525/63; 525/146, 525/148, 525/92E

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC |
Draw Desc Image

30. Document ID: US 4902742 A

L9: Entry 30 of 54

File: USPT

Feb 20, 1990

US-PAT-NO: 4902742

DOCUMENT-IDENTIFIER: US 4902742 A

TITLE: Thermoplastic polymethacrylimide resin composition

DATE-ISSUED: February 20, 1990

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Yamamoto: Naoki Hiroshima JP

Yamamoto; Naoki Hiroshima JP Nishida; Kozi Otake JP Yanagase; Akira Otake JP

US-CL-CURRENT: 525/63

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC |
Draw Desc Image

31. Document ID: US 4898965 A

L9: Entry 31 of 54

File: USPT

Feb 6, 1990

US-PAT-NO: 4898965

DOCUMENT-IDENTIFIER: US 4898965 A

TITLE: Additives for synthetic resins

DATE-ISSUED: February 6, 1990

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY Kinoshita; Mitsuo Aichi JP Imamura; Shigeru Aichi JP Matsueda; Hirokazu Aichi JP .

US-CL-CURRENT: <u>558/416</u>; <u>558/302</u>, <u>558/399</u>, <u>558/406</u>, <u>558/414</u>, <u>558/442</u>, <u>560/196</u>, <u>560/198</u>, 560/199, <u>560/88</u>, <u>560/90</u>, <u>560/91</u>



32. Document ID: US 4898964 A

L9: Entry 32 of 54

File: USPT

Feb 6, 1990

KWIC

US-PAT-NO: 4898964

DOCUMENT-IDENTIFIER: US 4898964 A

TITLE: Additives for synthetic resins

DATE-ISSUED: February 6, 1990

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Kinoshita; Mitsuo Aichi JP
Imamura; Shigeru Toyokawa JP
Matsueda; Hirokazu Toyohashi JP

US-CL-CURRENT: $\underline{558/416}$; $\underline{558/302}$, $\underline{558/399}$, $\underline{558/406}$, $\underline{558/414}$, $\underline{558/442}$, $\underline{560/128}$, $\underline{560/198}$, $\underline{560/199}$, $\underline{560/89}$, $\underline{560/90}$, $\underline{560/91}$

Full Title Citation	Front Rev	iew Classification	Date	Reference	Sequences	Attachments	KWIC
Draw Desc Image							

33. Document ID: US 4892900 A

L9: Entry 33 of 54

File: USPT

Jan 9, 1990

US-PAT-NO: 4892900

DOCUMENT-IDENTIFIER: US 4892900 A

TITLE: Polyphenylene ether resin composition

DATE-ISSUED: January 9, 1990

INVENTOR-INFORMATION:

Lor∂ NAME

CITY

STATE ZIP CODE

COUNTRY

COUNTRY

Sasaki; Isao

Hiroshima

JР

Yamamoto; Naoki

Hiroshima

JP

Yanagase; Akira

Otake

JP

US-CL-CURRENT: 524/141; 524/409, 524/504, 525/133, 525/63

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw, Descriptings

34. Document ID: US 4879347 A

L9: Entry 34 of 54

File: USPT

ZIP CODE

Nov 7, 1989

KWIC

US-PAT-NO: 4879347

DOCUMENT-IDENTIFIER: US 4879347 A

TITLE: Graft polymerization preformer and method of manufacturing the same

DATE-ISSUED: November 7, 1989

INVENTOR-INFORMATION:

NAME CITY

Moriya; Yasuo Aichi JP Suzuki; Nobuyoshi Aichi JP Goto; Hiroshi Aichi JP

US-CL-CURRENT: 525/263; 525/277, 525/286, 525/303

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Drawl Desc | Image |

STATE

35. Document ID: US 4877841 A

L9: Entry 35 of 54

File: USPT

Oct 31, 1989

US-PAT-NO: 4877841

DOCUMENT-IDENTIFIER: US 4877841 A

TITLE: Graft polymerization preformer and method of manufacturing the same

DATE-ISSUED: October 31, 1989

 $\verb"INVENTOR-INFORMATION:"\\$

NAME CITY STATE ZIP CODE COUNTRY
Moriya; Yasuo Aichi JP
Suzuki; Nobuyoshi Aichi JP
Goto; Hiroshi Aichi JP

US-CL-CURRENT: 525/286; 525/263, 525/277, 525/303, 525/80, 525/913

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC |

Fram Desc Image

. . 0

36. Document ID: US 4839432 A

L9: Entry 36 of 54

File: USPT

Jun 13, 1989

US-PAT-NO: 4839432

DOCUMENT-IDENTIFIER: US 4839432 A

TITLE: Method of manufacturing a grafted resin composition

DATE-ISSUED: June 13, 1989

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Moriya; Yasuo Chita JP
Suzuki; Nobuyoshi Chita JP
Goto; Hiroshi Chita JP

US-CL-CURRENT: 525/303; 525/243, 525/263

Full Title Citation Front Review Classification Date Reference Sequences Attachments RWC |
Draws Description

37. Document ID: US 4777211 A

L9: Entry 37 of 54

File: USPT

Oct 11, 1988

US-PAT-NO: 4777211

DOCUMENT-IDENTIFIER: US 4777211 A

TITLE: Rubber-modified nylon composition

DATE-ISSUED: October 11, 1988

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Lavengood; Richard E. Longmeadow MA
Patel; Raman Akron OH
Padwa; Allen R. Worcester MA

US-CL-CURRENT: <u>525/66</u>; <u>525/179</u>, <u>525/902</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments RMC Craw Desc Image

38. Document ID: US 4753988 A

L9: Entry 38 of 54 File: USPT Jun 28, 1988

US-PAT-NO: 4753988

DOCUMENT-IDENTIFIER: US 4753988 A

TITLE: High gloss acrylate rubber-modified weatherable resins

DATE-ISSUED: June 28, 1988

e e

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Henton; David E. Midland MI Anthony; Edward B. Dalton GA

US-CL-CURRENT: $\underline{525}/\underline{73}$; $\underline{525}/\underline{193}$, $\underline{525}/\underline{228}$, $\underline{525}/\underline{71}$, $\underline{525}/\underline{74}$, $\underline{525}/\underline{75}$, $\underline{525}/\underline{81}$, $\underline{525}/\underline{85}$

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KAMC | Craws Desc | Image |

39. Document ID: US 4713415 A

L9: Entry 39 of 54

File: USPT .

Dec 15, 1987

US-PAT-NO: 4713415

DOCUMENT-IDENTIFIER: US 4713415 A

TITLE: Rubber modified nylon composition

DATE-ISSUED: December 15, 1987

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Lavengood; Richard E. Longmeadow MA
Padwa; Allen R. Worcester MA
Harris; Alva F. Wilbraham MA

US-CL-CURRENT: 525/66; 525/183

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw, Desc Image

40. Document ID: US 4690986 A

L9: Entry 40 of 54 File: USPT Sep 1, 1987

US-PAT-NO: 4690986

DOCUMENT-IDENTIFIER: US 4690986 A

TITLE: Impact-resistant thermoplastic polyorganosiloxane-based graft copolymer and

process for producing same


DATE-ISSUED: September 1, 1987

INVENTOR-INFORMATION:

STATE ZIP CODE COUNTRY NAME CITY Sasaki; Isao Hiroshima JΡ JΡ Yanaqase; Akira Otake JΡ Kawachi; Yasunori Otake Mayuzumi; Tetsuya Kawagoe JP Annaka JΡ Oba; Toshio JP Takasaki Okada; Fumio

17 of 24 12/7/02 11:01 AM

US-CL-CURRENT: 525/479; 528/32



US-PAT-NO: 4485212

DOCUMENT-IDENTIFIER: US 4485212 A

TITLE: Impact resistant blend of polybutylene terephthalate resin and OSA graft

copolymer

DATE-ISSUED: November 27, 1984

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE


COUNTRY

Wefer; John M.

Newtown

CT

US-CL-CURRENT: 525/64; 525/289, 525/313



INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Wheeler; Robert D.

Fairfield

eld CT

US-CL-CURRENT: 428/339; 428/462, 428/463, 428/496, 428/507, 428/521



43. Document ID: US 4444840 A

L9: Entry 43 of 54

File: USPT

Apr 24, 1984

US-PAT-NO: 4444840

DOCUMENT-IDENTIFIER: US 4444840 A

TITLE: Calendered AES film

DATE-ISSUED: April 24, 1984

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Wefer; John M.

Newtown

CT

US-CL-CURRENT: 428/339; 428/493, 428/521, 428/522

Full Title Citation Front Review Classification Date Reference Sequences Attachments KWIC

44. Document ID: US 4440825 A

L9: Entry 44 of 54

File: USPT

Apr 3, 1984

US-PAT-NO: 4440825

DOCUMENT-IDENTIFIER: US 4440825 A

TITLE: Laminate with skin based on AES graft copolymer

DATE-ISSUED: April 3, 1984

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Paddock; Charles F.

Southbury

CT

US-CL-CURRENT: $\frac{428}{318.6}$; $\frac{428}{318.4}$, $\frac{428}{318.8}$, $\frac{428}{319.7}$, $\frac{428}{521}$, $\frac{525}{70}$, $\frac{525}{75}$

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Killionana | Date | Reference | Sequences | Attachments | Killionana | Company |

45. Document ID: US 4438171 A

L9: Entry 45 of 54

File: USPT

Mar 20, 1984

US-PAT-NO: 4438171

DOCUMENT-IDENTIFIER: US 4438171 A

TITLE: Coextruded product of AES-thermoplastic graft copolymer

DATE-ISSUED: March 20, 1984

INVENTOR-INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Wefer; John M.

Newtown

CT

US-CL-CURRENT: $\frac{428}{215}$; $\frac{156}{244.11}$, $\frac{428}{216}$, $\frac{428}{220}$, $\frac{428}{517}$, $\frac{428}{519}$, $\frac{428}{521}$

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw Desc Image

KWIC

46. Document ID: US 4346199 A

L9: Entry 46 of 54 File: USPT Aug 24, 1982

US-PAT-NO: 4346199

DOCUMENT-IDENTIFIER: US 4346199 A

TITLE: Process for a polymeric polyblend composition comprising a matrix phase terpolymer of alkenyl aromatic alkenyl nitrile and myrcene monomers and a diene rubber

phase grafted with said monomers

DATE-ISSUED: August 24, 1982

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Peng; Fred M. Longmeadow MA
Tokas; Edward F. Kirkwood MO

US-CL-CURRENT: 525/316; 525/288, 525/292, 525/295



47. Document ID: US 4268638 A

L9: Entry 47 of 54 File: USPT May 19, 1981

US-PAT-NO: 4268638

DOCUMENT-IDENTIFIER: US 4268638 A

TITLE: Process for the preparation of rubber-modified thermoplastic resins

DATE-ISSUED: May 19, 1981

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Shimokawa; Shin-ichi Yokkaichi JP Yamamoto; Yuji Suzuka JP Nagai; Hisao Yokkaichi JP

US-CL-CURRENT: 525/263; 525/264, 525/289, 525/316



48. Document ID: US 4221681 A

L9: Entry 48 of 54 File: USPT Sep 9, 1980

US-PAT-NO: 4221681

DOCUMENT-IDENTIFIER: US 4221681 A

TITLE: Method of forming graft copolymers by attaching pre-polymerized side chains to a natural or unsaturated synthetic rubber backbone, and the resulting graft copolymers

DATE-ISSUED: September 9, 1980

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Campbell; David S. Welwyn GB2
Loeber; David E. Hertford GB2
Tinker; Andrew J. GB2

US-CL-CURRENT: <u>525/194</u>; <u>525/232</u>, <u>525/376</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments RMC Praw. Desc Image

49. Document ID: US 4185049 A

L9: Entry 49 of 54

File: USPT

Jan 22, 1980

US-PAT-NO: 4185049

DOCUMENT-IDENTIFIER: US 4185049 A

TITLE: Mass polymerization process for polyblends

DATE-ISSUED: January 22, 1980

INVENTOR-INFORMATION:

NAME

CITY Springfield STATE ZIP CODE

COUNTRY

Kruse; Robert L.
Peng; Fred M.

Longmeadow

MA MA

US-CL-CURRENT: 525/84

Full Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC |
Drawl Desc | Image |

50. Document ID: US 4134927 A

L9: Entry 50 of 54

File: USPT

Jan 16, 1979

US-PAT-NO: 4134927

DOCUMENT-IDENTIFIER: US 4134927 A

TITLE: Production of thermoplastic olefin elastomers

DATE-ISSUED: January 16, 1979

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Tomoshige; Toru Ohtake JP
Nagano; Riichiro Waki JP

Imamura; Tetsuo Iwakuni JP

US-CL-CURRENT: 525/245; 525/247, 525/253, 525/263, 525/265, 525/285, 525/301, 525/386

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw Desc Image

KWIC

51. Document ID: US 3919355 A

L9: Entry 51 of 54

File: USPT

Nov 11, 1975

US-PAT-NO: 3919355

DOCUMENT-IDENTIFIER: US 3919355 A

TITLE: Method for preparing shock-resistant grafted copolymers of styrene or vinyltoluene with synthetic rubber

DATE-ISSUED: November 11, 1975

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP	CODE	COUNTRY
Ballova; Galina Dmitrievna	Leningrad				SU
Egorova; Ekaterina Ivanovna	Leningrad				su
Sivograkova; Klavdiya Andreevna	Leningrad				SU
Bezborodko; Georgy Lazarevich	Leningrad				SU
Lebedeva; Mariya Moiseevna	Leningrad				SU
Rusinovskaya; Irina Ivanovna	Leningradskya oblast				SU
Maladzyanova; Larisa Fedorovna	Leningrad				SU
Maximov; Vladimir Nikolaevich	Leningrad				SU
Ostrovskaya; Tamara Nikolaevna	Leningrad				SU

US-CL-CURRENT: 525/255; 525/261, 525/316

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | KWIC |
Draw, Desc | Image |

52. Document ID: US 3909463 A

L9: Entry 52 of 54

File: USPT

Sep 30, 1975

US-PAT-NO: 3909463

DOCUMENT-IDENTIFIER: US 3909463 A

TITLE: Grafted block copolymers of synthetic rubbers and polyolefins

DATE-ISSUED: September 30, 1975

INVENTOR-INFORMATION:

NAME

CITY

ZIP CODE

COUNTRY

Hartman; Paul F.

Wayne

US-CL-CURRENT: <u>521/136</u>; <u>521/139</u>, <u>521/140</u>, <u>521/81</u>, <u>521/88</u>, <u>525/133</u>, <u>525/136</u>, <u>525/138</u>, <u>525/139</u>, <u>525/145</u>

Full Title Citation Front Review Classification Date Reference Sequences Attachments

Draw Desc Image

STATE

NJ

53. Document ID: US 3898301 A

L9: Entry 53 of 54

File: USPT

Aug 5, 1975

US-PAT-NO: 3898301

DOCUMENT-IDENTIFIER: US 3898301 A

TITLE: Blends of thermoplastic polymers with graft copolymers of maleic acid

derivatives

DATE-ISSUED: August 5, 1975

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Konishi; Kunio	Osaka			JA
Tsubakimoto; Tsuneo	Osaka			JA
Nikki; Masao	Osaka			JA

 $\begin{array}{l} \text{US-CL-CURRENT: } \underline{525/77}; \ \underline{524/151}, \ \underline{524/303}, \ \underline{525/286}, \ \underline{525/286}, \ \underline{525/288}, \ \underline{525/292}, \ \underline{525/292}, \ \underline{525/293}, \ \underline{525/296}, \\ \underline{525/297}, \ \underline{525/301}, \ \underline{525/303}, \ \underline{525/304}, \ \underline{525/305}, \ \underline{525/306}, \ \underline{525/73}, \ \underline{525/74}, \ \underline{525/75}, \ \underline{525/76}, \\ \underline{525/78}, \ \underline{525/79}, \ \underline{525/81}, \ \underline{525/82}, \ \underline{526/225}, \ \underline{526/312}, \ \underline{526/318}, \ \underline{526/325}, \ \underline{526/329.2}, \\ \underline{526/329.3}, \ \underline{526/342} \end{array}$

Full Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	KWIC
Draww Desc 1	mage								

54. Document ID: US 3887653 A

L9: Entry 54 of 54

File: USPT

Jun 3, 1975

US-PAT-NO: 3887653

DOCUMENT-IDENTIFIER: US 3887653 A

TITLE: Process for production of graft copolymers, the substrates of which contain allyl derivatives of maleic acid and maleic acid anhydride

DATE-ISSUED: June 3, 1975

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY
Konishi; Kunio Takatsuki JA
Tsubakimoto; Tsuneo Toyonaka JA
Nikki; Masao Ibaragi JA

US-CL-CURRENT: $\underline{525}/\underline{301}$; $\underline{524}/\underline{151}$, $\underline{524}/\underline{303}$, $\underline{525}/\underline{293}$, $\underline{525}/\underline{303}$, $\underline{526}/\underline{225}$, $\underline{526}/\underline{271}$, $\underline{526}/\underline{312}$, $\underline{526}/\underline{318}$, $\underline{526}/\underline{325}$, $\underline{526}/\underline{329.5}$, $\underline{526}/\underline{342}$

English Control of the Control of th	
Full Title Citation Front Review Classification Date Reference Sequences Attachments	KWIC
The state of the s	
Draw Desc Image	

Generate Collection Print

Term	Documents
(6 SAME 7).USPT.	54
(L6 SAME L7).USPT.	54

Display Format: Change Format

Previous Page Next Page

24 of 24 12/7/02 11:01 AM